Dial g DataStar

options	logoff	feedback	help

databases   **easy search**

Advanced Search:
Inspec - 1898 to date (INZZ)

limit

Search history:

No.	Database	Search term	Info added since	Results	
CP		[Clipboard]		0	-
1	INZZ	authenticate ADJ ram ADJ process	unrestricted	0	-
2	INZZ	authenticate WITH ram WITH (process OR thread)	unrestricted	0	-

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): Search tips   ☐ Thesaurus mapping

| | whole document | ▾ | 🛈 |

Information added since: [＿＿＿＿] or: [none ▾]
(YYYYMMDD)

search

☐ Images

Click ➡ to select terms from the following list(s):

➡ Publication year 1950-

➡ Publication year 1898-1949

➡ Inspec thesaurus - enter a term 🛈

➡ Classification codes A: Physics, 0-1

➡ Classification codes A: Physics, 2-3

➡ Classification codes A: Physics, 4-5

➡ Classification codes A: Physics, 6

➡ Classification codes A: Physics, 7

➡ Classification codes A: Physics, 8

➡ Classification codes A: Physics, 9

➡ Classification codes B: Electrical & Electronics, 0-5

Google

> authenticate ram process   [Search]   Advanced Search
>   Preferences

Web   Results **1 - 10** of about **154,000** for <u>authenticate</u> <u>ram</u> <u>process</u>. (**0.07** seconds)

<u>Memory usage by the Lsass.exe **process** on domain controllers that ...</u>
This **process** handles **authentication** for both the client and the server, ... For optimum
performance, the Lsass.exe **process** takes as much **RAM** as possible on ...
support.microsoft.com/kb/308356 - <u>Similar pages</u>

<u>Content processing system and content protecting method - US ...</u>
A representative **authentication** and encryption technology is a mechanism ..... This writing
process is performed by the installer of the DVD-**RAM** driver 303 ...
www.patentstorm.us/patents/6993135-description.html - 41k - <u>Cached</u> - <u>Similar pages</u>

<u>Automatic **authentication** method and system in print **process** ...</u>
An **authentication** method in a print **process** that requires **authentication**, ... **RAM** 106
in the host system 100 , and executes an initialization **process**. ...
www.freepatentsonline.com/7313699.html - 118k - <u>Cached</u> - <u>Similar pages</u>

<u>Battery **Authentication** Design - choice of algorithms and ...</u>
Application requirements dictate the design of battery **authentication** circuits, ... at varying
times to increase the security of the **authentication process**. ...
powerelectronics.com/portable_power_management/
batteries/power_battery_authentication_portable/ - 68k - <u>Cached</u> - <u>Similar pages</u>

<u>Internet **authentication** of LUT-based FPGA configuration files ...</u>
way **process** of design **authentication** may be achieved. Provision is made for other
important ... synchronous **RAM**. In addition to this, an LUT may also ...
ieeexplore.ieee.org/iel5/7926/21854/01016558.pdf - <u>Similar pages</u>

<u>Nikon Camera Control and **Authentication**: Digital Photography Review</u>
Nikon Camera Control and **Authentication**: As well as the D2Xs Nikon are also ... at
special locations to record critical elements of a manufacturing **process**. ...
www.dpreview.com/news/0606/06060101nikonsoftware.asp - 22k - <u>Cached</u> - <u>Similar pages</u>

[PPT] <u>Architectural Support for High Speed Protection of Memory ...</u>
File Format: Microsoft Powerpoint - <u>View as HTML</u>
Physical memory (**RAM**) **authentication** ☐ MAC Tree; Protected data sharing ☐ Encryption
using. Bus sequence number; **Process** key. **Authentication** speculative ...
arch.ece.gatech.edu/present/pact04.ppt - <u>Similar pages</u>

<u>O'Reilly Network -- NoCatAuth: **Authentication** for Wireless Networks</u>
They do not have personal logins, but must still **authenticate** by manually skipping the login
process (hence the term catch and release). ...
www.oreillynet.com/pub/a/wireless/2001/11/09/nocatauth.html - 32k -
<u>Cached</u> - <u>Similar pages</u>

<u>How to Replace Corrupt **RAM** on Your Computer | eHow.com</u>
Use My Computer to **authenticate** the newly installed **RAM**. ... Ensure that the work area is
clean before you begin the installation **process**. ...
www.ehow.com/how_2020132_replace-corrupt-**ram**.html - 65k - <u>Cached</u> - <u>Similar pages</u>

<u>(WO/1998/047258) BILATERAL **AUTHENTICATION** AND ENCRYPTION SYSTEM</u>

Google

validate (thread OR process) | Search | Advanced Search
                                                             Preferences

Web   Books   Results **1 - 10** of about **1,320,000** for <u>validate</u> (<u>thread</u> OR <u>process</u>). (0.25 seconds)

GUIDELINE ON GENERAL PRINCIPLES OF **PROCESS VALIDATION**
This guideline outlines general principles that FDA considers to be acceptable elements of.
process validation for the preparation of human and animal drug ...
www.fda.gov/CDER/GUIDANCE/pv.htm - 60k - <u>Cached</u> - <u>Similar pages</u>

wf_workflow(**validate**) - **Validate** Workflow **Process**
This form is accessed by selecting entries in the List Workflow **Process** screen before
pressing the **'VALIDATE'** button in the navigation bar. ...
www.tonymarston.net/php-mysql/menuguide/wf_workflow(**validate**).html - 6k -
<u>Cached</u> - <u>Similar pages</u>

Ready for IBM Tivoli software - Open **Process** Automation Library ...
The **validation process** is also your entrance into IBM Tivoli OPAL. This online library
contains product extensions (automation packages, ...
www.ibm.com/software/tivoli/products/tivoliready/ - 32k - <u>Cached</u> - <u>Similar pages</u>

iTKO LISA Business **Process Validation** - workflow testing, bpm ...
LISA Business **Process Validation** (iTKO LISA BPV) provides a rich feature set for
discovering, modeling and **validating** complex business workflows across ...
www.itko.com/site/products/lisa/business_**process**.jsp - 16k - <u>Cached</u> - <u>Similar pages</u>

EV SSL Certificate **Validation Process**
Provides EV SSL certificate Extended **Validation** (EV) High Assurance SSL Certificates
with an overview of EV SSL Certificate **Validation Process**.
www.instantssl.com/ssl-certificate-products/ssl/ssl-ev-validation.html - 19k -
<u>Cached</u> - <u>Similar pages</u>

U.S. Customs and Border Protection - Import
The **validation process** of certified C-TPAT participants has begun. The **process** is to
validate that the supply chain security measures contained in the ...
www.cbp.gov/xp/cgov/import/commercial_enforcement/ctpat/ctpat_validation/ - 41k -
<u>Cached</u> - <u>Similar pages</u>

Network **Validation Process** FAQ
Validating is the **process** of confirming that certain security measures are in place on your
computer. When you login using the Clean Access Agent, ...
resnet.uci.edu/nvp_faq.asp - 19k - <u>Cached</u> - <u>Similar pages</u>

Genuine Microsoft Software
To help you verify that you are using genuine Office, Microsoft offers a quick and easy
online **process** called **validation**. **Validation** takes only a few ...
www.microsoft.com/genuine/office/Why**Validate**.aspx - 20k - <u>Cached</u> - <u>Similar pages</u>

VALIDATE - **Process** and Product **Validation** for SMEs
The "**VALIDATE**" hypertext guidance system, which will use the contents of the workbook
as expert knowledge and present it interactively to users. ...
www.ist-world.org/ProjectDetails.aspx?ProjectId=e7639e37a27d4f41be1e4296fedf2297 -
173k - <u>Cached</u> - <u>Similar pages</u>

Google
Scholar BETA

| (validate OR authenticate) (ram OR memory) (| 1776 | - | 2001 | Search |

Scholar   All articles - <u>Recent articles</u> Results **1 - 10** of about **47,500** for (<u>validate</u> OR <u>authenticate</u>) (

All Results

M Herlihy

A Tucker

H Eichenbaum

T Anderson

A Gupta

<u>Process control and scheduling issues for multiprogrammed shared-memory multiprocessors</u> - <u>all 6 versions »</u>
A Tucker, A Gupta - ACM SIGOPS Operating Systems Review, 1989 - portal.acm.org
... is what we would like to **validate** in this ... to achieve load balancing in shared-**memory** multiprocessors, and ... Under C-Threads, though, a new **process** is normally ...
<u>Cited by 243</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>The performance implications of **thread** management alternatives forshared-memory multiprocessors</u> - <u>all 10 versions »</u>
TE Anderson, ED Lazowska, HM Levy - Computers, IEEE Transactions on, 1989 - ieeexplore.ieee.org
... for shared- **memory** multiprocessors. In traditional operating systems, a **process**, consisting of a single address space and a single **thread** of control within ...
<u>Cited by 157</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>Library Search</u>

<u>A case study of software **process** improvement during development</u> - <u>all 8 versions »</u>
I Bhandari, M Halliday, E Tarver, D Brown, J Chaar ... - IEEE Transactions on Software Engineering, 1993 - doi.ieeecs.org
... use of the method to make and **validate process** corrections and ... for human 2We are indebted to Ashwin **Ram** for coining ... or minus two items in short-term **memory** [17 ...
<u>Cited by 35</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>Reversible neural inactivation reveals hippocampal participation in several memory processes</u> - <u>all 11 versions »</u>
G Riedel, J Micheau, AGM Lam, EL Roloff, SJ Martin ... - Nature Neuroscience, 1999 - nature.com
... down a long-term consolidation **process** 2 . It is ... methods were first used to **validate** this method ... hippocampal participation in these four **memory** processes using ...
<u>Cited by 144</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>Reexamining organizational **memory**</u>
MS Ackerman, CA Hadverson - Communications of the ACM, 2000 - portal.acm.org
... This is why the caller asks for Joan's name and title to **authenticate** the information ... are required to effectively turn a **memory** "object" into a **memory process**. ...
<u>Cited by 98</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>Organization **memory**: Review of concepts and recommendations for management</u> - <u>all 4 versions »</u>
EW Stein - International Journal of Information Management, 1995 - Elsevier
... Single-loop stage of learning learning **process**. ... because the receiver can no longer engage the sender in dialog to **validate** the meaning of a **memory**. ...
<u>Cited by 153</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>Long-**Memory** Processes, the Allan Variance and Wavelets</u> - <u>all 6 versions »</u>
DB Percival, P Guttorp - Wavelets in Geophysics, 1994 - books.google.com
... of conducting a parallel spectral analysis to **validate** the interpretation of a wavelet

ip.com IP.com
PriorArtDatabase

February 06, 2008   USPTO

Search

| Full Text |
| Concept |
| Document ID |
| Recent Disclosures |

Other

| Prior Art Home |
| Support |
| Logout |

Search for concept:

```
(authenticat* or validat* or verify* or
verificat*) w/18 (ram or memory) w/18
(process or thread)
```

Concept Searc
powered by:

ENGENIU

Search

Limit the results with these filters

Original publication date

Published after: [   ] **Select...** MM-DD-YYYY

Published before: 08-08-2001 **Select...** MM-DD-YYYY

Specific collection: All Collections ▼

Country of origin: Any country ▼

Language: Any language ▼

Search within: ☐ My company's disclosures only

No disclosures have been published by you or your company.

Search Hints

- Engenium's Semetric query engine is an advanced conceptual search engine, documents regardless of structure, content, or length. Semetric moves searcl keyword queries by inferring the meaning of words based on the context in w used. Not only are conceptual relationships measured between words, but als entire document is considered to return the most relevant matches available.

- Queries to Semetric have neither a specific syntax nor reserved-word operatc are one or more phrases or sentences that describe the desired concept. A sii an appropriate Semetric query. A phrase such as **"semiconductor fabricati** or **"wireless interoperability specification"** are better examples. To a poi provided descriptive information the better. A query could comprise an entire related technology, such as **"A flip-chip technology, denominated as DDI Downset Flip-Chip) technology, is characterized by the forming of a d hole in the substrate, and by the use of an array of solder bumps ovei semiconductor chip and an array of recessed solder-bump pads of an tapered conical shape over the bottom surface of the device hole for I semiconductor chip to the substrate"** (from US Patent #6,507,119).

- Note that while all documents are presented to the Semetric engine, at prese